



SECTION 1: PRODUCT IDENTIFICATION

Name: Wraptor®

Description: Micro Perforated White Woven Polypropylene

Manufacturer/Distribution: Insulation Solutions, Inc.

Address: 401 Truck Haven Rd., East Peoria, IL 61611

Phone: 866-698-6562 Fax: 309-698-0065

Email: info@isibp.com

SECTION 2: HAZARDOUS INGREDIENTS

This product is not considered to be hazardous, and is not classified as a controlled product. It is comprised primarily of polypropylene, which is considered to be non-hazardous.

SECTION 3: PHYSICAL DATA

Boiling Point: Not Applicable

Temperature Range: -50°F to 180°F / -46°C to 82°C

Appearance: Flexible Sheet Material

Odor: None

SECTION 4: FIRE & EXPLOSION DATA

Flame Spread: 15 (NFPA Class A, UBC Class 1) (ASTM E-84-03)

Smoke Development: 40 (NFPA Class A, UBC Class 1) (ASTM E-84-03)

Extinguishing Media: CO₂, Dry Chemical, Water or Foam

Usual Fire Hazardous: Polypropylene is not highly flammable, but in contact with flame they will melt and burn.

SECTION 5: REACTIVITY DATA

Stability: Product is stable and inert to most chemicals. None cause a violent reaction.

Incompatibility: Check with manufacturer prior to using as a containment or barrier for chemicals other than water.

SECTION 6: HEALTH & HAZARD DATA

Inhalation: None

Eyes and skin: None

Ingestion: Product should not be eaten or kept in contact with food.

SECTION 7: HEALTH & HAZARD DATA

Generally Wraptor® requires no special precautions when handling. However, the material may become slippery when wet, and caution should be taken when used in applications where the product will be walked on.



SECTION 1: PRODUCT IDENTIFICATION

Name: Wraptor® Plus

Description: Micro Perforated White Woven Polyethylene w/ Foil Facing

Manufacturer/Distribution: Insulation Solutions, Inc.

Address: 401 Truck Haven Rd., East Peoria, IL 61611

Phone: 866-698-6562 Fax: 309-698-0065

Email: info@isibp.com

SECTION 2: HAZARDOUS INGREDIENTS

This product is not considered to be hazardous, and is not classified as a controlled product. It is comprised primarily of polyethylene and aluminum foil, which are considered to be non-hazardous.

SECTION 3: PHYSICAL DATA

Boiling Point: Not Applicable

Temperature Range: -50°F to 180°F / -46°C to 82°C

Appearance: Flexible Sheet Material

Odor: None

SECTION 4: FIRE & EXPLOSION DATA

Flame Spread: 15 (NFPA Class A, UBC Class 1) (ASTM E-84-03)

Smoke Development: 40 (NFPA Class A, UBC Class 1) (ASTM E-84-03)

Extinguishing Media: CO₂, Dry Chemical, Water or Foam

Usual Fire Hazardous: Polyethylene and aluminum foil are not highly flammable, but in contact with flame they will melt and burn.

SECTION 5: REACTIVITY DATA

Stability: Product is stable and inert to most chemicals. None cause a violent reaction.

Incompatibility: Check with manufacturer prior to using as a containment or barrier for chemicals other than water.

SECTION 6: HEALTH & HAZARD DATA

Inhalation: None

Eyes and skin: None

Ingestion: Product should not be eaten or kept in contact with food.

SECTION 7: HEALTH & HAZARD DATA

Generally Wraptor® Plus requires no special precautions when handling. However, the material may become slippery when wet, and caution should be taken when used in applications where the product will be walked on.